Gesta	stational diabetes increases risk for the following, EXCE	PT
×	Congenital anomalies.	
\checkmark	Small for date fetus.	
X	Macrosomia.	
X	Prematurity and still birth.	
	turse is assigned to a patient who has a bacterial pneumonia and is under droplet precautions, we ctive equipment (PPE) will s/he wear to deliver the meal tray?	nich personal
×	Special filtration mask and gloves.	
\checkmark	Only mask is needed.	
×	Gown, mask, gloves, shoe covers.	
×	No PPE required.	
Artif	tificially acquired immunity is obtained by	
X	Recovering from a disease.	
×	Being breast fed.	
\checkmark	Immunization with antibody response.	
×	Exposure to a disease.	
Which	ich of the following would not promote trust in the nurse-patient rela	tionship?
×	Returning at the stated time.	

 Y 2. Fulfilling promises. 3. Maintaining confidentiality. 4 Examining a wound without providing privacy. Question ID: 321011753 Status: Answered Chosen Option: 4 Q.5 Refrigerated breastmilk should not be used if it is beyond: Ans X 1. 1 week. ✓ 2. 48 hours. X 3. 2 months. X 4. 2 weeks. Question ID: 321011817 Status: Answered Chosen Option: 2 Q.6 In the liver bacteria that found their way into portal circulation is destroyed by _____ ✓ 1. Kupffer cells. X 2. Cilia. X 3. Hydrochloric acid. X 4. Leukocytosis. Question ID: 321011789 Status: Answered Chosen Option: 1 Q.7 The Three Features of a Community Ans 1. Location, population and social system.

× 2. Primary, secondary and tertiary

X 3. Agent – Host - environment

X 4. Physical – Mental - Social

Question ID : 321011846 Status : Answered

Chosen Option : 2

Q.8	Q.8 Medical asepsis differs from surgical asepsis in that it is aimed at:		
Ans	X 1.	Killing all microorganisms.	
	X 2.	Sterilizing all equipments.	
	X 3.	Preventing entry of microorganisms into the body.	
	4.		
	Princ	iples of etnical practice includes the following, EXCEPT	
	X	Justice.	
	X	Respect for autonomy.	
	Y	Maleficence.	
	×	Beneficence.	
_	The person	n who becomes short of breath with little exertion, such as when eating a meal, has what kind of respiratory	
	condition?		
	Y	Dyspnea.	
	X	Hyperventilation.	
	X	Stridor.	
	×	Cheyne - strokes respiration.	
		vioral clues of impending suicide are as follows, EXCEPT	
	Withdraws from social activities and plans.		
	Hypervigilance and exaggerated startle response.		
	X	Becomes energetic after a period of severe depression.	
	X	Gives away valuable possessions.	
	Vital	statistics include the following, EXCEPT	
	X	Birth rate	

Education rate.

Life expectancy.

X

Morbidity and mortality statistics.

×	Monocyte.		
X	Thrombocyte.		
✓	Erythrocyte.		
The trad	aditional source-oriented, narrative type of charting is characterized by all of the following forms. —	EXCEPT the	
X	Doctor's progress sheet.		
X	History and physical examination form.		
\checkmark	Laboratory sheet.		
X	Database form.		
		·	
The	e main cause of genital warts (Condylomata Acuminata)	18:	
V	Human papilloma virus (HPV).		
X			
X			
X	Herpes simplex virus.		
The	e normal levels of sodium in plasma is		
J	135-143 mEq/L		
×	CONTRACTOR STATE S		
×	- Caringh Control of State (1985)		
×	. National Section of the Control of		
	93 133 MB 44		
Role	le of community nurse in school Health program, EXCE	PT	
✓	To provide immunization to the children		
X			
Assist	Assist in screening physical, mental and other special examination of children in school		

×	Assist in communicable disease control Assist In school medical examination and follow up
Photo	otherapy is indicated for children with
×	Hypoglycemia.
X	Necrotizing enterocolitis.
×	Hemolytic disease.
✓	Hyperbilirubinemia.
"Para	n'' is defined as:
×	Total number of pregnancies.
V	
Num	ber of past pregnancies gone beyond period of viability.
X	Born from beginning of 38 to 42 weeks.
X	Any pregnancy terminates before the period of viability.
In rheu	matoid arthritis, during the acute phase the values which are significant are
X	LFT elevation (Liver Function Test).
✓	ESR and C Reactive Protein (CRP) elevation.
×	CBC elevation (Complete Blood Count).
×	RFT elevation (Renal Function Test).
Hom	an's sign is used to assess
×	Wound sepsis.
✓	Deep vein thrombosis.
×	Hypotension.

\sim	Hematoma.	
A sig	gnificant predictor of fetal well-being is if fetal	heart rate is:
X	160 - 200 beats/min.	
X	180 - 200 beats/min.	
X	100 - 120 beats/min.	
\checkmark	120 - 160 beats/min.	
Exan	nple for autosomal recessive inheritance	⇒
×	Hemophilia.	
V	Cystic fibrosis.	
X	Craniofacial disorders.	
X	Skeletal disorders.	
Com	plete dilation of cervix to birth of a baby is stag	ed as:
×	Stage 3 of labor.	
	Stage 2 of labor.	
×	Stage 1 of labor.	
	525000	
×	Stage 4 of labor.	
64.5400		
The 1	major determinants of health	
\checkmark	Screening for diseases	
X	Public Education and Information	
×	Public works, water, sanitation and housing	
×	Agriculture, Food and Nutrition	

The	characteristics of lochia rubra is:	
×	Yellow-white.	
~	Bloody with fleshy odor.	
X	Pink/brown with flesh odor.	
X	Foul odor.	
		S.H. TWOTHE
The key	v instruction to be given to the patient and the caregiver with epilepsy is	as follows, EXCEPT
×	Avoid alcohol, smoking, hypoglycemia.	
X	Maintain medication and seizure chart.	
V	Take showers in bath tubs.	
X	Take medications daily.	
Doten	atial adverse effects of surgery and anesthesia are as fol	lows EXCEPT
	NESCASION DE LA VIENE DE LA VI	iows, EXCELL
×	Malignant hyperthermia / hypothermia.	
X	Thrombosis from compression of blood vessel	s or stasis.
V	Dehydration and electrolyte imbalance.	
×	Myocardial depression, bradycardia, circulator	y collapse.
The brai	in region which is responsible for coordination of voluntary muscular movemen	nt, posture and balance
		◆ data construction of the residence of the second of the
×	Cerebral cortex. Spinal cord.	
×	Medulla Oblongata.	
	Cerebellum.	
•	Cerebellulli.	

In what ways could Hepatitis A virus be spread in a, if one of the kitchen employees is in the reservoir.

X	While he speaks and sneezes, through droplet route.
X	If he sustains a cut through blood borne.
X	While he coughs out through air borne route.
✓	Oral-fecal route, through his hands.
Eclar	npsia is characterized by the following, EXCEPT
×	Seizures.
×	Marked proteinuria.
✓	Mild facial edema.
×	BP greater than 160/110Hg.
When	n dangling the patient at the bedside, monitor for:
×	Fever from exertion.
×	Visual field disturbances and dizziness.
×	Malignant hypertension and dizziness.
✓	Orthostatic hypotension and dizziness.
0000 226	5 V - NA - 17 - 68 V2 - 18 V2
The fol	lowing are presenting symptoms of patients with catatonic schizophrenia, EXCEPT
×	Stereotyped position with waxy flexibility.
×	Sudden onset of mutism.
V	Disorganized behavior and speech.
Have	dangerous periods of agitation and explosive behavior.
liave	dangerous periods of agriculon and explosive behavior.
The follo	wing are the important preoperative nursing care for a patient with benign prostatic hypertrophy, EXCEPT

Assure nutrition and correct fluid and electrolyte balance.

Promoting urinary drainage.

\checkmark	Hormonal therapy.	
X	Acid-ash diet to treat infection.	
One	e cardiac cycle completes in	
×		
×		
	0.8 seconds.	
•		
Why is	is it important for health care providers to monitor the growth and development of the children?	
×		
AGO WITH THE	dying groups of children helps to determine normal ranges.	
√	y and Brooks or surrous marks to determine morning ranges.	
Early	ly detection of potential problems leads to earlier care and treatment.	
X		
Paren	ents need the reassurance of professionals to know their children are healthy.	
X	Statistical analysis is important for research.	
000000000000000000000000000000000000000	each to health is that acknowledges and respects the interaction of a person's mind, body and spirit within the comment is termed as:	
V	Holistic Health Model	
X	High - Level Wellness Model	
X	Health Belief Model	
X	Clinical Model	
The	e extracellular fluid includes the following EXCEPT	
✓	Fluid within the cells.	
×	The Control of Control	

Synovial fluid, pericardial fluid, and pleural fluid.

X

×	Cerebrospinal fluid and fluid in the interstitial spaces.	
APG	GAR score is considered excellent if the score is:	
×	4-6.	
✓	7-10.	
×	0-3.	
×	3-7.	
Inbo	orn errors of metabolism are the following, EXCEPT	
×	A STANCE OF THE	
×	The state of the s	
×	100 H 100 100 100 100 100 100 100 100 10	
	Turner's syndrome.	
•		
Card	diogenic shock is precipitated by	
×	Bacteremia.	
×		
✓	Myocardial infarction.	
X	El to fine Production (Application Control of the C	
•		
The	main sign and symptom noticed in patients with Achalasis is:	
×	S SAN WINDOW WAS A COMPANY OF THE SAN WINDOW SAN AND S	
X	Supplemental Conference (Conference Conference Conferen	
V	Dysphagia.	

Joints pain.

A cli	inical sign that a patient is close death would be
✓	Periods of apnea and irregular respirations.
×	Increasing BP, pulse, respiration.
X	Nausea that occurs after meals.
X	Pain that is well controlled with small doses of morphine.
The an	nount of air passing into and out of the lungs during each cycle of breathing is referred as:
X	Total lung capacity.
X	Vital capacity.
X	Residual volume.
\checkmark	Tidal volume.
DI '1	1 CD 1 II II C C C II DVCDDT
	osophy of Primary Health Care are as follows EXCEPT
X	Inter-sectoral approach
X	Inter – relationship of health and development
V	Primary prevention
X	Equity and justice
N T	
	es use the nursing process as a method of:
X	Communicating with patients and families.
×	Meeting public expectations of nurses.
•	Planning, organizing and delivering patient care.
×	Meeting the legal requirements and standards in nursing.
Tu	within calls trusice and small adaptoms of the nitritory slands can be removed through
Tulliors	within sella turcica and small adenomas of the pituitary glands can be removed through

X	Infratentorial approach.	
✓	Transphenoidal approach.	
X	Supratentorial approach.	
X	Craniectomy.	
All e	elderly tend to be more susceptible to infection because	e of:
✓	A decline in immune function.	
X	Poor nutritional status.	
X	Increased exposure of pathogens.	
×	Lack of exercises.	
The pa	patient with appendicitis usually exhibit the following clinical man-	festations.
X	Pain occurs immediately after eating.	
X	Hematemesis or melena.	
X	Heartburn, regurgitation and dysphogia.	
✓	Rebound tenderness at the McBurney's Point.	
Bipol	olar disorders are treated with the following medications,	EXCEPT
X	Lithium.	
✓	Amphetamine.	
X	Valporic acid.	
×	Carbamazepine.	
	-	
Weari	ring seat belts, safety helmets and other safety equipments are ex	ample for:

Secondary health promotion behavior.

Holistic health care model.

×	Tertiary health promotion behavior. Primary health promotion behavior.	
The o	lrug of choice to treat Bullimia nervosa is:	
✓	Antidepressants (Eg. SSRI)	
×	Thiamine IV.	
×	Benzodiazepines.	
×	IV Glucose 10%	
The m	ain clinical manifestations of pulmonary edema are as	follows, EXCEPT
X	Caught with expectoration.	
✓	Hypotension.	
×	Cyanosis.	
×	Dyspnea.	
The r	najor nutrients involved in fluid balance are	<u></u>
✓	Potassium and sodium.	
×	Vitamin B9 and magnesium.	
×	Fats and proteins.	
×	Chloride and carbohydrates.	
The co	ommonest drug which is administered during an anap	hylactic reaction
×	Anticonvulsant.	
✓	Injection Epinephrine.	
×	Antibiotic.	

X Diuretic.

The cleft palate usually repaired			
×	3 months.		
×	2-3 years.		
×	6 months.		
\checkmark	12-18 months.		
The size	e of which part of the eye contributes to the controlling the amount of	light entering the eye	
×	Lens.		
×	Optic disc.		
X	Macula lutea.		
\checkmark	Pupil.		
Agang	lionic disease of the intestinal tract which causes inadequate m	otility is termed as:	
×	Ulcerative colitis.		
X	Crohn's disease.		
\checkmark	Hirschsprung's disease.		
×	Diverticular disease.		
The most	common method of microorganism transfer from one person to another in the hospi	tal setting is prevented by	
_	Washing hands thoroughly and frequently.		
×	Disinfecting instruments in special solutions.		
×	Changing bed linen daily.		
	STATE OF THE STATE		
×	Filtering air in the hospital.		

	tion of sensory cells in the ampulla and cochlea is	moranous laoyimin with
×	Osteosclerosis.	
×	Hordeolum.	
X	Otitis media.	
\checkmark	Meniere's disease.	
The c	complications for ventricular septal defect are as fo	llows, EXCEPT
X	Pulmonary hypertension.	
X	Heart failure.	
X	Endocarditis.	
\checkmark	Cerebral palsy	
Prete	erm labor is when it occurs between:	
X	32-36 weeks of gestation.	
✓	20-37 weeks of gestation.	
X	16-20 weeks of gestation.	
×	24-30 weeks of gestation.	
• `		
Rh. 1	Negative mother should receive – globulin	
✓	RhO (D) immune.	
X	RhO (M) globulin.	
×	Acetylcholinesterase.	
X	Lecithin/Sphingomyelin.	
• `	2 - Table 1 - Ta	
Posit	tive – definite sign of pregnancy is:	
×	CONTROL OF THE PROPERTY OF THE	
\sim	Amenorrhea.	

×	Quickening.	
✓	Visualization of fetus by ultrasound.	
×	Uterine enlargement.	
	L	
When	n considering the principle of growth and development,	remember that
X	1	A. i. d
Devel	elopment occurs evenly, with periods of no growth occurring	every third year.
	ildren should grow in the same rate; all four year olds should weigh within	4 kgs of each other.
Althou	ugh development occurs in an orderly sequence, the rate may vary be	etween individuals.
×	Most children can run before they walk.	
Protecti	tive devices are applied snugly, which of the following findings would you	be concerned about?
×	Skin that is warm and pink.	
×	Ability move fingers and toes.	
×	Quick capillary refill of the nailbeds.	
\checkmark	Pallor of the nailbeds.	
31 - ON A COLOR	ring sack like lesion filled with spinal fluid and spinal c	ord element is:
X	Meningocele.	
V	Myelomeningoele.	
X	Hydrocephalus.	
X	Spinal bifida occulta.	
The ald	darly individual is at greater risk for dehydration than the middle aged ad	hulk haranna

The elderly have more muscle mass.

The elderly drinks little fluid.			
Their bodies are almost 80% water.			
 Compensatory mechanisms work less efficiently. 			
Beds on the unit have rapidly filled and the patient with bacterial pneumonia is about to have a roommate. The			
roommate is postsurgical patient without an infection, the nurse would			
Notify the admitting office that the new patient cannot be housed with a patient under droplet pneumonia.			
×			
Not to worry because this room has its own air filtration system.			
Simply prepare the unit for the arrival of the new patient.			
Make certain that the curtains around the new patient's bed are functional and completely closed.			
•			
Current jelly like stools containing blood and mucus among 3 months to 3 years old child is suspected to have			
X Hirschsprung's disease.			
X Abdominal hernia.			
Meckel's diverticulum.			
✓ Intussusception.			
Secretarian Contract Line Contracts			
Patient complains of pain and has redness with swelling at the site of IV. The nerve must			
✓ Stop infusion and remove IV cannula.			
Apply warm moist pack to the reddened area.			
Start nasal oxygen.			
Service and described a contract of the service of			
Change IV tubing and the solution.			
Alcohol withdrawal symptoms area as follows, EXCEPT			

Euphoria.

×	Anxiety and insomnia.			
×	Hallucinations.			
X	Tremor.			
Respo	onses to avoid in therapeutic communication are as follows, EXCEPT:			
×	Arguing and judgmental responses.			
×	Closed-ended questions.			
X	Advice giving.			
\checkmark	Reflecting and clarifying.			
Which	Which of the following is not a typical difference factor between benign and malignant tumors.			
\checkmark	Size of the tumor.			
X	Growth rate.			
X	Encapsulation.			
×	Cell differentiation.			
Mantou	ax Test (Purified Protein Derivative) is significantly positive when the erythema measures			
\checkmark	15 mm or greater			
X	3.5 mm - 9.9 mm			
X	5 mm - 10 mm			
X	10 mm - 14.9 mm			
To encourage an infant's cognitive and psychosocial development, parents and other caregivers should				
×	Allow the baby to play alone several hours each day.			
×	Firmly explain the rules of acceptable behavior.			

Give loving, consistent care, including playing.

Keep the baby with them at all times so he or she is safe.

Health	maintenance program for older people in the community are as follows EXCEPT			
X	Dietary guidance and food services			
V	Palliative care			
X	Health education			
X	Home health service			
False	e labor manifestation are as follows, EXCEPT			
X	Contraction lessen with activity or rest.			
✓	Cervix progressively effaced and dilated.			
X	Abdominal discomfort.			
X	Contractions irregular.			
The ke	ey dietary advice given for patients with gastro esophageal reflux disease is:			
X	High fiber diet with lot of fluids.			
X	To take high carbohydrate diet.			
X	To avoid protein and calcium.			
~				
To av	To avoid caffeine, tobacco, beer, milk and carbonated beverages.			
Com	pression of facial nerve in the temporal bone will lead to			
X	Gullian-Barre syndrome.			
×	Meningocele.			
✓	Bell's palsy.			
X	Multiple sclerosis.			

In Er	rickson's theory, adolescent develop a sense of	
X	Intellect.	
X	Initiative.	
×	Industry.	
✓	Identity.	
Repetit	itive, uncontrollable thoughts and acts (Eg. Rituals, rigidity, inflexibility	r) is termed as:
✓	Obsessive Compulsive Disorder.	
×	Ritualistic behavior.	
×	Phobias.	
X	Apprehension.	
The 1	bacteria that retain the stain in Gram's method of sta	aining is a:
X	Spores of bacteria.	
✓	Gram positive bacteria.	
X	Gram negative bacteria.	
X	Broad spectrum bacteria.	
The refle	ex action of the toes are indicative of abnormalities in the motor control pathways leading fr	om cerebral cortex
V	Babinski reflex.	
X	Patellar reflex.	
×	Achilles reflex.	
×	Romberg test.	
Reve	e's syndrome is associated with	

X Biliary colic.

\checkmark	Use of aspirin with viral illness.
×	Sickle cell crisis.
X	Hemolytic transfusion reactions.
The class	sical substances that increases the sensitivity of pain receptors by enhancing the pain-provoking effect of hin is
X	Nociceptor.
X	Endorphins.
X	Encephalin.
✓	Prostaglandins.
Whe	n a pulse rate is irregular, it is best to count the
X	Radial pulse for 30 seconds.
X	Radial pulse for a full minute.
✓	Apical pulse for a full minute.
X	Apical pulse for 30 seconds.
When a	ssessing physical development of the five year old, you would find it abnormal if he
X	Could stack up pile of six blocks.
✓	Needed to go up a stairway one step at a time.
X	Cold jump on one foot a few times.
X	Could catch a large rubber ball.
То ра	roperly stage a pressure ulcer,
×	The skin must be completely dry.

The patient must be supine.

Eschar must be removed.

×	Natural light must be used.		
HbA	1C indicates post serum glucose levels over previous		
X	6 months period.		
X	2 months period.		
X	1 month period.		
✓	3 months period.		
The pa	atient who has an appointment for a Pap smear should have been instructed.		
X	That the procedure takes about 45 minutes.		
✓	Not to douche or use vaginal medication before the test.		
X To be	ing and the same and the same and denote the discourse areas		
	ring sanitary pad because moderate bleeding may occur.		
×	That she will know the test results before leaving the office.		
Prog	ressive thinning and shortening of cervix is defined as:		
✓	Effacement.		
X	Contraction.		
X	Expulsion.		
X	Dilation.		
इरावदी नदी किस देश में बहती है?			

🗸 म्यांमार

🗡 बांग्लादेश

🗙 भूटान

X	वियतनाम	
	20 00 100 200	
"वाइड	ड एंगल" का लेखक कौन है?	
X	शेन वार्न	
X	राहुल द्रविड़	
V	अनिल कुंबले	
	शोएब अख्तर	
	शार्ष जख्तर	
ਹਿ ਨਰ	ना झील किस राज्य में स्थित है?	
	असम	
	ओडिशा	
	झारखण्ड	
	पश्चिम बंगाल	
Wha	t is the capital of Sweden?	
X	Geneva	
V	Stockholm	
X	Madrid	
×	Kiev	
Whic	ch country hosted 2018 FIFA world cup?	
×	Japan	
×	China	
✓	UAE	
×	Qatar	